



May 10, 2022

1.4. Equipment Listing

Savoie will supply the Hytrol conveyor with either SEW, NORD, or Sumitomo motors, based solely on availability/lead times. Savoie will communicate this during the selection process to inform the customer to the various options and their associated schedule constraints.

Unit #	Conv. Type	Length	EW	Infeed	Outfeed	Speed	HP
D-1000	DUMPER	10'-0"					5
B-1001	BPC	13'-3"	43	54	54	45	3
B-1003	BPC	76'-6"	49	30	30	45	5
D-1004	DUMPER	10'-0"					5
B-1005	BPC	13'-3"	43	54	54	45	3
D-1006	DUMPER	10'-0"					5
B-1007	BPC	13'-3"	49	54	60	45	3
E-1008	EXTENDABLE	26'-0"				45	5
B-1009	BPC	37'-9"	39	39	54	45	5
E-1010	EXTENDABLE	26'-0"				45	5
B-1011	BPC	37'-9"	39	39	54	45	3
B-1013	BPC	47'-6"	49	24	153	90	5
B-1015	BPC	65'-0"	49	150	327	120	5
B-1017	BPC	26'-0"	49	303	303	120	3
B-1019	BPC	32'-0"	49	279	279	160	3
B-1021	ARB	85'-6"	48	276	276	160	15
B-1025	BPC	52'-0"	49	294	318	180	7.5
B-1027	BPC	65'-0"	49	312	312	180	7.5
B-1029	BPC	50'-0"	49	288	288	180	7.5
B-1031	ARB	85'-6"	48	276	276	160	15
B-1035	BPC	64'-0"	49	282	306	180	10
B-1037	BPC	51'-0"	49	303	303	180	5
D-1100	DUMPER	10'-0"					5
B-1101	BPC	19'-6"	39	54	96	45	3
B-1103	BPC	33'-0"	49	72	72	45	5
D-1104	DUMPER	10'-0"					5
B-1105	BPC	19'-6"	39	54	96	45	3
D-1106	DUMPER	10'-0"					5
B-1107	BPC	19'-6"	39	54	96	45	3
B-1109	BPC	31'-0"	39	66	114	90	3

MAY 10, 2022

PROPOSAL No. Q21358 REVISION 3.0

PAGE 8

Pitney Bowes Inc



May 10, 2022

E-1110	EXTENDABLE	26'-0"				45	5
B-1111	BPC	30'-6"	39	39	120	45	5
E-1112	EXTENDABLE	26'-0"				45	5
B-1113	BPC	27'-6"	39	39	114	45	3
B-1115	BPC	66'-0"	49	90	198	120	7.5
B-1117	BPC	62'-0"	49	195	318	160	7.5
B-1119	BPC	18'-6"	49	312	312	160	3
B-1201	HSS	46'-0"	31	36	36	60	3
S-1203	SPIRAL	25'-0"	36	36	198	100	3
B-1301	HSS	17'-0"	31	150	195	300	3
B-1303	HSS	22'-0"	31	168	204	120	3
B-1401	HSS	27'-3"	39	150	222	300	3
B-1403	HSS	44'-9"	39	198	282	120	5
B-1501	HSS	15'-0"	39	150	168	300	3
B-1503	HSS	33'-6"	39	144	204	150	5
B-1505	HSS	60'-0"	39	198	198	150	7.5
B-1507	HSS	63'-0"	39	195	198	150	7.5
B-1509	HSS	20'-0"	39	168	228	150	5
B-1511	HSS	30'-0"	39	228	228	150	5
B-1512	HSS	23'-0"	39	150	216	150	5
B-1513	HSS	55'-0"	39	204	204	150	5
B-1515	HSS	56'-0"	39	201	270	150	5
B-1517	HSS	60'-0"	39	264	264	150	7.5
B-1519	HSS	55'-0"	39	240	240	150	5
B-1521	HSS	18'-0"	43	237	237	150	3
B-1523	ARB	71'-0"	48	237	237	160	15
B-1525	HSS	11'-0"	43	213	213	150	3
B-1527	HSS	54'-0"	43	189	291	150	7.5
B-1529	HSS	37'-0"	43	288	288	150	5
B-1531	HSS	10'-6"	31	120	138	120	3
B-1533	HSS	18'-0"	31	114	144	120	3
B-1541	HSS	15'-0"	31	120	132	120	3
B-1543	HSS	18'-0"	31	114	144	120	3

MAY 10, 2022

PROPOSAL No. Q21358 REVISION 3.0

PAGE 9

Pitney Bowes Inc

CONFIDENTIAL INFORMATION - USE AND DISCLOSURE SHALL BE SUBJECT TO THE LIMITATIONS AS DEFINED ON COVER PAGE OF THIS PROPOSAL



May 10, 2022

D-1544	DUMPER	10'-0"					5
B-1545	Cleated Incline	35'-0"	34	54	249	45	7.5
B-1601	HSS	15'-0"	39	150	168	300	3
B-1603	HSS	33'-6"	39	144	204	150	5
B-1605	HSS	60'-0"	39	198	198	150	7.5
B-1607	HSS	63'-0"	39	195	198	150	7.5
B-1609	HSS	20'-0"	39	168	228	150	5
B-1611	HSS	29'-6"	39	225	228	150	5
B-1612	HSS	23'-0"	39	150	216	150	5
B-1613	HSS	60'-0"	39	180	180	150	7.5
B-1615	HSS	60'-0"	39	177	228	150	7.5
B-1617	HSS	60'-0"	39	225	228	150	7.5
B-1619	HSS	60'-0"	39	225	228	150	7.5
B-1621	HSS	60'-0"	39	225	228	150	7.5
B-1623	HSS	60'-0"	39	225	228	150	7.5
B-1625	HSS	35'-0"	43	201	240	150	5
B-1627	ARB	71'-0"	48	237	237	160	15
B-1629	HSS	11'-0"	43	213	213	150	3
B-1631	HSS	54'-0"	43	189	252	150	7.5
B-1633	HSS	37'-0"	43	249	249	150	5
B-1635	HSS	14'-0"	43	225	225	150	3
B-1641	HSS	7'-0"	31	120	132	120	3
B-1643	HSS	20'-0"	31	108	144	120	3
B-1651	HSS	15'-6"	31	114	144	120	3
D-1652	DUMPER	10'-0"					5
B-1653	Cleated Incline	35'-0"	34	54	249	45	7.5

MAY 10, 2022

PROPOSAL No. Q21358 REVISION 3.0

PAGE 10

Pitney Bowes Inc

CONFIDENTIAL INFORMATION - USE AND DISCLOSURE SHALL BE SUBJECT TO THE LIMITATIONS AS DEFINED ON COVER PAGE OF THIS PROPOSAL