

**Surplus to The Specialty Mfg. Co.**

Online Only Auction

Wednesday May 14th, 2025; Starting at 11:00am CST

Lot #:	Qty:	Lot Description:
1	1	Denison 12-Ton Cap. Model T127LC261D268D215A59S209 Hydraulic C-Frame Press; S/N: 21923; with 22 in. x 18.5 in. Bed, 12 in. Max. Stroke, 4 in. Cylinder Bore, 18 in. Daylight, 10 in. Throat, 2.75 in. Ram Dia., 20-Gallon Hydraulic Fluid Tank, with Dual Lever Activation, Parts Counter, 7.5 HP, 230-V, 3-Ph (Dims.: 28 in. x 54 in. x 79 in. high) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
2	1	Lot - Die Setting Tools, with Cart (Located at: Building 5858 Centerville Rd., St. Paul, MN)
3	1	Lot - Die Setting Tools, with Cart (Located at: Building 5858 Centerville Rd., St. Paul, MN)
4	1	Lot - Die Setting Tools, with Cart (Located at: Building 5858 Centerville Rd., St. Paul, MN)
5	1	Lot - Die Setting Tools, with Cart (Located at: Building 5858 Centerville Rd., St. Paul, MN)
6	1	Lot - Misc. Hand Tools, with Cart (Located at: Building 5858 Centerville Rd., St. Paul, MN)
7	1	Lot - Letter & Number Stamps, with Cart (Located at: Building 5858 Centerville Rd., St. Paul, MN)
8	1	Economy 500 lb. Cap. Mechanical Die Cart, S/N: D16852; (Located at: Building 5858 Centerville Rd., St. Paul, MN)
9	1	Lot - Assorted Height Gages & Misc.; (Located at: Building 5858 Centerville Rd., St. Paul, MN)
10	1	Chicago & Rivet Machine Co. Riveter, S/N: 490-161; Rated at 175-150 RPM Max./Min., Jaws: 1346, Anvil: 2361, Driver: 2183, Foot Actuator (Dims.: 40 in. x 40 in. x 70 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
11	1	Minster 56-Ton Cap. No. 6 Back-Geared O.B.I. Press, S/N: 6-6753; with Press Commander Press Controls, 6 in. Stroke, 3 in. Slide Adjustment, 48 in. x 20 in. Bolster Area, 20 in. x 13 in. Ram Area, Air Clutch/Brake, Dual Palm Buttons, Inclining Mechanism, Pinnacle Light Curtains, Microguard, Air Surge Tank, Die Cushion, Parts Counter, Plexiglass Enclosure (Dims.: 80 in. x 50 in. x 115 in. high - Press) (36 in. x 20 in. 50 in. high - Control Cabinet) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
12	1	Multi Hydromatic Spot Welder, Cat. #: 234-1319; with 20 in. Throat, Technitron Welding Controls, Detect-A-Finger, Foot Actuator (Dims.: 57 in. x 32 in. x 71 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
13	1	Regal 750 lb. Cap. Mechanical Die Cart, S/N 167100; (Located at: Building 5858 Centerville Rd., St. Paul, MN)



14	1	Superior Electronics 20-KVA Model LA20-36 Spot/Rite Spot Welder, S/N: 12-24-2; with 14 in. Throat, Spot Weld Inc. Sequence Welder Control, 220-Volt, 50 Duct Cycle, Foot Actuator (Dims.: 50 in. x 28 in. x 57 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
15	1	Economy 500 lb. Cap. Mechanical Die Cart; (Dims.: 43 in. x 24 in. x 77 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
16	1	Gibb 100-KVA Resistance Spot Welder, S/N 15501; with 17 in. Throat Depth, Technitron Welding Controls, Detect-A-Finger, Foot Actuator (Dims.: 56 in. x 50 in. x 95 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
17	1	Lot - Assorted Plastic Totes (Located at: Building 5858 Centerville Rd., St. Paul, MN)
18	1	Taylor Winfield Resistance Spot Welder; 30 in. Throat, Entron Welding Controls, Foot Actuator (Dims.: 70 in. x 32 in. x 95 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
19	1	Section 126 in. x 36 in. x 99 in. high Adjustable Pallet Rack (Contents Not Included) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
20	1	Di-Acro Houdaille 35-Ton Cap. Model 14-72 Hydra-Mechanical Press Brake, S/N: 6601174108; with 72 in. Bed & Ram, 62 in. Between Uprights, 2 in. Stroke, 3 in. Adjustment, 9 in. Throat, with Front Operated Back Gage, Dual Palm Buttons (Dims.: 72 in. x 45 in. x 92 in. high) (5,500 lbs. weight) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
21	1	Demag "Newbury 80-5" CNC Vertical Plastic Injection Molding Machine, S/N: 5512-0168 (2007); 80-Ton Capacity, 5 Oz. Shot Size, with Pathfinder CNC 5000 Controls, 48 in. Dia. 4-Station Rotary Load/Unload Index Table, Light Curtains, Dual Finger Activation, (Dims.: 168 in. x 72 in. x 100 in. high) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
22	1	Lot - Assorted Spot Welding Supplies; with Steel Shelving Unit (Located at: Building 5858 Centerville Rd., St. Paul, MN)
23	1	Bourn & Koch Model 19-150 Dual Opposed Head Tool Saver Drilling Machine, S/N: 191512149; with Reliance Electric Motors (Located at: Building 5820 Centerville Rd., St. Paul, MN)
24	1	Hartford Special/Ferguson Hartford Model 19-150 Dual Opposed Head Drilling Machine, S/N's: DU1911 & 00326; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
25	1	Lot - Assorted Plastic Totes (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
26	1	Lot - (10) approx. Pallet Rack Wire Decking (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
27	1	ESMA Inc. 4-Station Passivation Unit w/ Bench (Dims.: 28 in. x 78 in. x 62 in. high) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
28	1	Seedorff 6-KVA Spot Welder, S/N: 11551; with Entron Welding Controls, Dual Finger Button Activation, Fabricated Base (Dims.: 44 in. x 32 in. x 60 in. high) (Located at: Building 5820 Centerville Rd., St. Paul, MN)



29	1	Chicago Rivet & Machine Co. Riveter, S/N 490-168; 175-150 RPM Max./Min., 1346 Jaws, 2361-H Anvil, 2183 Driver (Located at: Building 5820 Centerville Rd., St. Paul, MN)
30	1	Ty Miles Inc. 4-Ton (8,000 lb.) Cap. Model MB-8-36-120R Vertical Hydraulic Broach, S/N: 771232; with 36 in. Stroke, 120 IPM Ram Speed, with Dual Finger Button Activation, 20-HP Hydraulic Power Supply, Operator Platform, 440-V, 3-Ph, 60-Cycle (Dims.: 48 in. x 54 in. x 171 in. high - Machine) (38 in. x 46 in. x 70 in. high - Hydraulic Power Supply/Electrical Cabinet) (48 in. x 24 in. x 55 in. high - Operator Platform) (See Video) (Located at: Building 5800 Centerville Rd., St. Paul, MN)
31	1	Kaeser 15-HP Model SK 19 Rotary Screw Air Compressor, S/N: ; with Sigma Control PLC Controls, Acoustical Enclosure (Dims.: 32 in. x 29 in. x 40 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
32	1	Measurement Systems Intl. 2,000 x 1 lb. Cap. Model MSI-3360 "Challenger 2" Electronic Crane Scale, S/N: 61649/48433 (Located at: Building 5858 Centerville Rd., St. Paul, MN)
33	1	Blohm (Korber) 12 in. x 32 in. Type 310/2 CNC (Creep-Feed?) Surface Grinder, S/N 12479; with 12 in. x 32 in. (approx.) Electromagnetic Chuck, Coolant System, with Paper Filtration, Centroid CNC Controls (Located at: Building 5858 Centerville Rd., St. Paul, MN)
34	1	Barrett 2,500 lb. Cap. Model RZ-748 Lift Truck, S/N: 120019; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
35	1	Lot - (1) Airmaster Pedestal Shop Fan and (1) Air King Pedestal Shop Fan (Located at: Building 5820 Centerville Rd., St. Paul, MN)
36	1	Clark 3,700 lb. Cap. Model ECS25 Electric Riding Fork Lift Truck, S/N: FA357-363-8840FB; with 3 Stage Mast, Sideshifter, Solid Tires ROPS (Seller Note: Battery in Need of Replacement) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
37	1	Lot - Assorted PVC Pastic Drums (on (8) approx. Pallets) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
38	1	Hartford Special Machinery Model 19-150 Opposed Dual Head Hydraulic Drilling Machine, S/N: DU 1910; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
39	1	Air-Hydraulics Model C250A Bench-Top Air & Hydraulic Press, S/N: 6714; with Palm Buttons, Related Controls (Located at: Building 5820 Centerville Rd., St. Paul, MN)



40	1	Minster 75-Ton Cap. Model P2-75 Straight Side Variable Speed High-Speed Production Press, S/N; 22235; Rated at 80-350 SPM, 2.5 in. Stroke, 1 in. Slide Adjustment, 15 in. Shut Height, 42 in. x 30 in. Bed Area, 22 in. x 37 in. Ram Area, 3 in. T-Slotted Bolster, 16 in. x 18.5 in. Windows, Air Clutch/Brake, Dual Palm Buttons, Pinnacle Systems Microguard & Weldotron Light Curtains Front & Rear, Vibration Floor Pads, Rowe Model PM-FAC-043 Roll Feed with Cabinet S?N: 28374, Indramat Press Controls (Dims: 116 in. x 64 in. x 112 in. high - Press) (24 in. x 17 in. x 48 in. high - Indramat Cabinet) (36 in. x 36 in. x 64 in. - Rowe Cabinet) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
41	1	Steel Shop Foremans Desk; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
42	1	Ruger 2,000 lb. Cap. Model HP18A Portable 2-Speed Hydraulic (Engine Hoist) Crane, S/N: 69G11185; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
43	1	BT Lifter 4,500 lb. Cap. Hydraulic Pallet Jack (Located at: Building 5820 Centerville Rd., St. Paul, MN)
44	1	Motion Industries Hydraulic Power Supply; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
45	1	Wagner Model A1000 Variable Speed Foil/Label Applicator(?); with Vibratory Feed (Located at: Building 5820 Centerville Rd., St. Paul, MN)
46	1	Portable Fork Lift Workmans Safety Cage; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
47	1	Portable Wire Cabinet/Locking Cage; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
48	1	96 in. x 42 in. x 82 in. high (approx.) Heavy Duty Steel Rack; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
49	1	Lot - (2) 96 in. x 36 in. x 36 in. high Shop Tables; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
50	1	E. W. Bliss 45-Ton Cap. Model C45 O.B.I. Press, S/N: H-68315/HP-51700; with Press Commander Press Controls, Air Clutch/Brake, Dayton Rogers Model D12 Die Cushion S/N: 30380 with 2 in. Stroke and 100 PSI Max. Pressure, 3 in. Stroke, 12-1/4 in. Shut Height, 3 in. Slide Adjustment, 22 in. x 44 in. Bolster Area, 10 in. x 15 in. Ram Area, Dual Palm Buttons, Pinnacle Light Curtains, Parts Counter, Plexiglass Enclosure (Dims: 60 in. x 72 in. x 105 in. high) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
51	1	Fork Lift Workmans Safety Cage; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
52	1	Grizzly 14 in. 12-Speed Model G7943 Heavy-Duty Bench-Top Drill Press, S/N: 15208; with Spindle Speeds from 140-3,50 RPM, 3/4 HP Motor, 110-Volt, Single Phase (Located at: Building 5820 Centerville Rd., St. Paul, MN)
53	1	Steel Rectangular Fluid Tank; with Aro Diaphragm Pump (Located at: Building 5820 Centerville Rd., St. Paul, MN)



54	1	Dension Multipress 6-Ton Cap. Model DF6C02A59C18S02 HydroILics C-Frame Hydraulic Press, S/N: 12598; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
55	1	Bridgeport Variable Speed Vertical Milling Machine; with Tracer, Spindle Wizard, Related Fixtures (Located at: Building 5820 Centerville Rd., St. Paul, MN)
56	1	Denison Multipress 4-Ton Cap. Model R043MC201DZ66C218A22S220 C-Frame Hydraulic Press, S/N 21651; with 10 in. Throat, 2.25 Cycle Bore, 16 in Daylight, 6 in. Throat, 1.625 Ram Dia., 1,800 RPM, 3-HP Motor, 2,000 PSI, 10-Gallon Tank Cap., 3 GPM Pump, Dual Lever Activation (Located at: Building 5820 Centerville Rd., St. Paul, MN)
57	1	Zeks HeatSink Model 50HSEA100 Refrigerated Air Dryer, S/N 194765N-M302; R-22 Refrigerant (Located at: Building 5820 Centerville Rd., St. Paul, MN)
58	1	Pollution Packer 3600 Portable Recycler/Baler(?); (Located at: Building 5820 Centerville Rd., St. Paul, MN)
59	1	Arid-X Dessicant Dryer; with Una-Dyn Hopper, on Portable Cart (Located at: Building 5820 Centerville Rd., St. Paul, MN)
60	1	Minster 75-Ton Cap. No. 7 Variable Speed O.B.I. Press, S/N 7-SS-25027; with Press Commander Press Controls, Air Clutch/Brake, Rated at 90-180 SPM, 6 in. Stroke, 3.75 in. Slide Adjustment, 15.5 in. Shut Height, 36 in. x 24 in. Bed Area, 54 in. x 26 in. Bolster Area, 30 in. x 17 in. Ram Area, Dual Palm Buttons, Pinnacle Systems Microguard Light Curtains, Plexiglass Enclosure (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
61	1	Clearing 45-Ton Cap. Model 45 Back-Geared O.B.I. Press, S/N: 53-1109; with Press Commander Press Controls, Air Clutch/Brake, Die Cushion, 18 in. x 44 in. Bolster Area, 9 in. x 11 in. Ram Area, Dual Palm Buttons, Pinnacle Systems Microguard Light Curtains, Parts Counter, Inclining Mechanism, Plexiglass Enclosure (Dims: 48 in. x 74 in. x 105 in. high) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
62	1	Minster 45-Ton Cap. No. 5 O.B.I. Press, S/N: 5-7400; with Press Commander Press Controls (on Stand), Air Clutch/Brake, 3 in. Stroke, 2.75 in. Slide Adjustment, 36 in. x 24 in. Bed Area, 21 in. x 42 in. Bolster Area, 8 in. x 10 in. Ram Area, Dual Palm Buttons, Pinnacle Systems Microguard Light Curtains, Plexiglass Enclosure (Dims: 48 in. x 62 in. x 90 in. high - Press) (24 in. x 12 in. x 58 in. high - Control Stand) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
63	1	Lot - Assorted Pallet Racking, Insert Roller Conveyor Sections (Some New in Box), Assorted Wire Decking (Located at: Building 5820 Centerville Rd., St. Paul, MN)
64	1	Lot - (2) Sections 96 in. x 42 in. x 84 in. high Steel Racks; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
65	1	Conair Franklin CD-600 Model D06H4000310A CD Carousel Material Dryer, S/N: 1D11952; with Conair Model 18051905 Dry Hopper S/N: 1-0012, with Stand (Located at: Building 5820 Centerville Rd., St. Paul, MN)



66	1	Parts Washing Station; with Misc. (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
67	1	Lot - (4) Material Hoppers; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
68	1	Exide 48-Volt Model System 3000 Es3-24-850 Battery Charger, S/N: HR-66255-1-2-IH; with EGS Hev-Duty General Purpose Transformer (Located at: Building 5820 Centerville Rd., St. Paul, MN)
69	1	1/2 HP Portable Pump (on Cart) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
70	1	2-Ton Cap. Free-Standing Underslung Overhead Crane System; 25 ft. wide x 72 ft. long x 194 in. high (approx.), with Yale 4,000 lb. Cap. K-Series Electric Hoist, Pendant Controls, Related Electric Runway (Bolted Construction) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
71	1	Minster 32- Ton Cap. No. 4 O.B.I. Press, S/N: 4-15463; with Press Commander Press Controls, Rated at 100 SPM Reeves, Variable Speed Drive, Air Clutch/Brake, 3 in. Stroke, 2.25 in. Adjustment, 10 in. Shut Height, 24 in. x 15 in. Bed Area, 18 in. x 37 in. Bolster Area, 15 in. x 10.5 in. Ram Area, Dual Palm Buttons, Inclining Mechanism, Pinnacle Systems Microguard Light Curtains, Plexiglass Enclosure (Dims: 44 in x 60 in. x 105 in. High - Press) (24 in. x 12 in. x 64 in. high - Control Stand) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
72	1	Minster 22-Ton Cap. No. O.B.I. Press, S/N: 3-19468; with Press Commander Press Controls, Rated at 115-230 SPM Allispede Variable Speed Drive, Air Clutch/Brake, 2.25 in. Stroke, 2 in. Adjustment, 10.25 in. Shut Height, 19.5 in. x 12 in. Bed Area, 36 in. x 15 in. Bolster Area, 12 in. x 9.25 in. Ram Area, Dual Palm Buttons, Inclining Mechanism, Pinnacle Systems Microguard Light Curtains, Plexiglass Enclosure (Dims: 43 in. x 51 in. x 90 in. high - Press) (24 in. x 12 in. x 64 in. high - Control Stand) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
73	1	E. W. Bliss 45-Ton Cap. Model C45 O.B.I. Variable Speed Press, S/N: H-67593/HP-5108; with Press Commander Press Controls, Air Clutch/Brake, 3 in. Stroke, 12-1/4 in. Shut Height, 3 in. Slide Adjustment, 22 in. x 44 in. Bolster Area, 10 in. x 15 in. Ram Area, Dual Palm Buttons, Yaskawa V1000, Pinnacle Systems Microguard Light Curtains, Parts Counter, Plexiglass Enclosure (Dims: 60 in. x 72 in. x 105 in. high) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
74	1	Minster 45-Ton Cap. No. 5 O.B.I. Press, S/N: 5-7401; with Press Commander Press Controls, Air Clutch/Brake, 3 in. Stroke, 2.75 in. Adjustment, 21 in. x 42 in. Bolster Area, 8 in. x 10 in. Ram Area, Dual Palm Buttons, Inclining Mechanism, Pinnacle Systems Microguard Light Curtains, Plexiglass Enclosure (Dims: 48 in. x 62 in. x 90 in. high - Press) (24 in. x 12 in. x 58 in. high - Control Stand) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
75	1	Assorted Copper & Steel(?) Coil Inventory (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)



76	1	Assorted Copper & Steel(?) Coil Inventory (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
77	1	Assorted Steel Coil Inventory (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
78	1	Assorted Steel Coil Inventory (on Pallet) (Located at: Building 5820 Centerville Rd., St. Paul, MN)
79	1	196 in. x 34 in. x 72 in. high Heavy-Duty Steel Die Storage Rack; (Located at: Building 5820 Centerville Rd., St. Paul, MN)
80	1	Demag Plastics Group 170-Ton Cap. HT 170/505-500 CNC Horizontal Plastic Injection Molding Machine, Machine No.: 5324-1486, S/N: 1486 (2007); with Pathfinder 3000 CNC Controls, 19.7 in. Cu. In. Injection Capacity, 17 in. Max. Stroke, 6 in. Min. Mold Thickness, 20 in. Horz./Vert. Distance Between Tie Bars, Standard Hopper (Dims.: 228 in. x 60 in. x 82 in. high) (Note: Plastic Process Vac Hopper, Thermolator Zone Temp. Control & Parts Conveyor Pictured, are NOT Included) (See Video) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
81	1	Demag Plastics Group 170-Ton Cap. HT 170/505-500 CNC Horizontal Plastic Injection Molding Machine, Machine No.: 5324-1487, S/N: 1487 (2007); with Pathfinder 3000 CNC Controls, 19.7 in. Cu. In. Injection Capacity, 17 in. Max. Stroke, 6 in. Min. Mold Thickness, 20 in. Horz./Vert. Distance Between Tie Bars, Standard Hopper (Dims.: 228 in. x 60 in. x 82 in. high) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
82	1	Mitsubishi X Series Model FX10K CNC Wire-Cut EDM, S/N: 59K10510 (1999); with Mitsubishi CNC Controls, Dielectric Fluid Pump & Tank, Related Manuals (Located at: Building 5858 Centerville Rd., St. Paul, MN)
83	1	Lot - Assorted EDM Wire & Misc. EDM Tooling and Components (on Pallet, as Shown) (Located at: Building 5858 Centerville Rd., St. Paul, MN)
84	1	Mitsubishi QA Series Model QA20 CNC Wire-Cut EDM, S/N: 09Q20023 (1999); with Mitsubishi CNC Controls, Dielectric Fluid Pump & Tank, Filters (on Pallet), Manuals (Located at: Building 5858 Centerville Rd., St. Paul, MN)
85	1	Lot - (2) Barrell Carts & (1) 2-Wheel Hand Truck (Located at: Building 5820 Centerville Rd., St. Paul, MN)
86	1	Dayton 6 in. Double End Variable Speed Bench Grinder; with Stand, Single Phase (Located at: Building 5820 Centerville Rd., St. Paul, MN)
87	1	3 in. Belt Sander; with Extra Belts, 1-HP, 3-Phase, on Stand (Located at: Building 5820 Centerville Rd., St. Paul, MN)
88	1	Litell Continuous Straightener; with Loop Sensor (Located at: Building 5858 Centerville Rd., St. Paul, MN)
89	1	Litell Motorized Coil Reel; (Located at: Building 5858 Centerville Rd., St. Paul, MN)
90	1	JACO Combination Coil Cradle/Straightener; (Located at: Building 5858 Centerville Rd., St. Paul, MN)



91	1	Lot - (2) 2-Wheel Carts, (1) Barrel Cart, (1) Portable Steel Cart, (1) Metro Rack, (1) Steel Table (Located at: Building 5820 Centerville Rd., St. Paul, MN)
92	1	Section 108 in. x 80 in. x 96 in. high Double End Cantilevered Stock Rack (Rack "B") (Located at: Building 5820 Centerville Rd., St. Paul, MN)
93	1	Section 108 in. x 80 in. x 96 in. high Double End Cantilevered Stock Rack (Rack "G") (Located at: Building 5820 Centerville Rd., St. Paul, MN)
94	1	Section 108 in. x 80 in. x 96 in. high Double End Cantilevered Stock Rack (Rack "F") (Located at: Building 5820 Centerville Rd., St. Paul, MN)
95	1	Section 108 in. x 80 in. x 96 in. high Double End Cantilevered Stock Rack (Rack "A") (Located at: Building 5820 Centerville Rd., St. Paul, MN)
96	1	Section 108 in. x 80 in. x 96 in. high Single End Cantilevered Stock Rack (Located at: Building 5820 Centerville Rd., St. Paul, MN)
97	1	Lot - Corrugated Gaylord Container; with Assorted Size Plastic Scoops (Located at: Building 5820 Centerville Rd., St. Paul, MN)
98	1	Lot - (3) Steel Organizer Cabinets (Located at: Building 5820 Centerville Rd., St. Paul, MN)
99	1	Lot - Copper Fittings & Cutler-Hammer Electrical Breaker Panel (Located at: Building 5820 Centerville Rd., St. Paul, MN)
100	1	Lot - 2-Door Storage Cabinet & Contents, to Include: Machine Parts, Grease Guns, Fittings, Gauges, Perishable Tooling, Jacobs Chucks, Etc. (Located at: Building 5820 Centerville Rd., St. Paul, MN)