



Lot No.	Qty	Auction Description
1	1	36 in. W x 20 in. D x 72 in. H Heavy Duty 2-Door Supply Cabinet with Bin Hangers
2	1	Lot - Steel Bins on (1) Pallet
3	1	Lot - Plastic Totes in (1) Group
4	1	Chicago Electric Model 98332 20 in. x 30 in. 20 Gallon Parts Washer, Hinged Lid, 5 GPM, 23 Amp, 120 Volt
5	1	Torch Cart with Oxygen/Acetylene Hose, Torch, Regulators and Cylinders
6	1	3/4 Cu. Yd. Portable Self Dumping Hopper
7	1	Lot - (1) Safety Shutoff Switch, (1) Square D Cat No. S346F 3 KVA Transformer and (4) Acme Cat No. T-1-13075 2 KVA Transformers on (1) Pallet
8	1	Lot - Transformers on (1) Pallet, Including: (2) Square D Cat No. 2S46F Rainproof Type 3R 2 KVA Transformers, (2) Acme Cat No. T-1-13076 3 KVA Transformers and (2) Acme Cat No. T-1-13075 2 KVA Transformers
9	1	Lot - (11) Square D Cat No. 2S46F Rainproof Type 3R Enclosure 2 KVA Single Phase Transformers on (1) Pallet
10	1	Lot - Coolant Nozzles, Bearings, Dies, Hand Stamps, Grease Guns, Fasteners, etc. in (6) Boxes with Bins
11	1	Lot - Allen Wrenches in (3) Boxes
12	1	Lot - Eye Bolts in (2) Boxes
13	1	Lot - Machine Wrenches in (1) Box
14	1	Lot - Spanner Wrenches and Various Machine Wrenches in (2) Boxes
15	1	Lot - Wrenches in (2) Boxes
16	1	Lot - Fixture Clamps in (2) Boxes
17	1	Lot - (3) Welding Helmets
18	1	Lot - Large Drills in (1) Box
19	1	Lot - Step Drills in (1) Box with 1/2 in. Shank Step Drill Set and Wood Stand
20	1	Lot - Drills in (1) Box
21	1	Lot - Drills in (2) Boxes
22	1	Lot - Center Drills in (1) Box
23	1	Lot - Taps in (2) Boxes
24	1	Lot - Reamers in (1) Box
25	1	Lot - End Mills in (3) Boxes
26	1	Lot - Countersinks, Key Seat Cutters and Milling Cutters in (2) Boxes
27	1	Lot - Packaged Drills with Packaged Mortising Bit and Chisel in (2) Boxes
28	1	Lot - Packaged Taps and Reamers in (2) Boxes
29	1	Lot - Carbide End Mills in (1) Box
30	1	Lot - Carbide End Mills in (1) Box



31	1	Lot - Packaged Carbide End Mills in (1) Box
32	1	Lot - Packaged Carbide End Mills in (1) Box
33	1	Lot - Lathe Tool Bits in (1) Box
34	1	Lot - Boring Bars in (1) Box
35	1	Lot - Indexable End Mills and Round Shank Insert Boring Bars in (2) Boxes
36	1	Lot - Round Shank Insert Boring Bars in (1) Box
37	1	Lot - Square Shank Insert Boring Bars in (1) Box
38	1	Lot - Square Shank Insert Boring Bars in (1) Box
39	1	Lot - Square Shank Insert Boring Bars in (1) Box
40	1	Lot - Cutoff Holders and Knurls in (2) Boxes
41	1	Lot - Coolant Thru Indexable Drills in (1) Box
42	1	Lot - Indexable Coolant Through Drills and Insert Boring Bars in (1) Box
43	1	Lot - Indexable Cutters in (1) Box
44	1	Lot - Face Mills in (1) Box
45	1	Lot - Face Mills in (1) Box
46	1	Lot - Milling Cutters in (1) Box
47	1	Lot - Milling Cutters in (1) Box
48	1	Lot - Packaged Carbide Inserts in (1) Box and 25-Drawer Plastic Bin Organizer Cabinet with Carbide Inserts
49	1	Lot - Collet Chuck Tool Holders in (2) Boxes
50	1	Lot - (4) Jacobs No. 33 1/2 in. and (1) Jacobs No. 2A 3/8 in. Drill Chucks in (1) Box
51	1	Lot - (3) Jacobs 2JT 3/8 in., (3) Jacobs 2A 3/8 in. and (1) Jacobs No. 33 1/2 in. Drill Chucks in (1) Box
52	1	Lot - (3) Jacobs No. 33 1/2 in., (1) Jacobs No. 34 1/2 in. and (1) Jacobs No. 6A 1/2 in. Drill Chucks in (1) Box
53	1	Lot - (5) Jacobs No. 34 1/2 in. Drill Chucks in (1) Box
54	1	Lot - (1) Kennametal Tenthset No. 50 Adjustable Boring Head and (2) 1/2 in. Straight Shank Boring Heads (1) Box
55	1	Gem Power Right Angle Milling Head with Case
56	1	Lot - (2) Proconier E-1 #0 to #10 Capacity Tapping Heads with Collets in (1) Box
57	1	Proconier Series 13003 1 in. Capacity Tapping Head, S/N: 0411; with Collets in (1) Box
58	1	Lot - Tapping Attachment and Quick Change Tap Adaptors in (1) Box
59	1	Lot - (4) 3/4 in. Square Shank Bar Pullers in (1) Box
60	1	Lot - (8) Light Ballasts in (1) Box
61	1	Lot - (8) Light Ballasts in (1) Box
62	1	Lot - (3) 60-Amp, (4) 40-Amp, (2) 30-Amp and (1) 10-Amp 3-Pole Circuit Breakers in (2) Boxes
63	1	Bench-Top Arbor Press
64	1	Enco Model 90630 Bench-Top Arbor Press;



65	1	Kalamazoo 7 in. Model K1 Bench-Top Abrasive Chop Saw, 1 HP, 3,450 RPM, 115 Volt, Single Phase
66	1	Rockwell 1 in. x 36 in. Model 31-352 Bench-Top Vertical Ribbon Sander, S/N: 35E13553; 3/4 HP, 3,450 RPM, 115 Volt, Single Phase
66A	1	2 in. x 48 in. Vertical Belt Sander Mounted on 24 in. x 24 in. Portable Stand, 1/2 HP, 3,450 RPM, 115 Volt, Single Phase
67	1	6 in. Model 32739229 Bench-Top Electric Buffer, S/N: 151600160; 1/2 HP, 3,450 RPM, 120V, 60-Hz, 4-Amp, Single Phase
68	1	6 in. Bench-Top Buffer
69	1	Baldor 6 in. Model 612R Bench-Top Grinder Buffer, S/N; W4; with 1/3 HP, 3,600 RPM, 3.1 Amp, 115 Volt, Single Phase
70	1	Baldor 6 in. Model 612R Bench-Top Grinder Buffer, S/N; W3; with 1/3 HP, 3,600 RPM, 3.1 Amp, 115 Volt, Single Phase
71	1	HPT America 200-Amp Model Mig-200 Portable Mig Welder, S/N: 200 1107 1788; with 220V, 50/60-Hz, 3-Ph, Open Circuit Voltage 20,4 to 37, 0 Volts
72	1	Mr. DeBurr 3 Cubic Foot Model 300 Vibratory Finisher, S/N: N/A; 1 HP, 3,450 RPM, 12 Amp, 115 Volt, Single Phase, 30 in. x 13 in. x 10 in. deep (approx.)
73	1	Trinco 24 in. x 36 in. 2-Hole Model 36/BP Dry Shot Blast Cabinet, S/N: 74514-14; with Model BP2 Dust Collector
74	1	Jih Chin 14 in. Model JTMD-340 Bench-Top Drill Press, S/N: 83403; with 1/2 in. Drill Chuck, 10 in. x 10 in. Work Table, 1/2 HP, 115 Volt, Single Phase
75	1	General 20 in. Model GDM-200A Floor Standing Drill Press, S/N: V008; with 140 to 2,120 RPM Spindle Speeds, RJ4-19L Drill Chuck, 13-1/2 in. x 16 in. Work Table, 1/2 HP, 115 Volt, Single Phase
76	1	Jet 20 in. Model JDP-20MF Floor Standing Drill Press, S/N: 0100269; with Jacobs 34-02 1/2 in. Drill Chuck, 13-1/2 in. x 16 in. Work Table, 1-1/2 HP, 115 Volt, Single Phase
77	1	Enco 20 in. Model 40010 Floor Standing Drill Press, S/N: B9-08-334; with 155 to 4,200 RPM Spindle Speeds, 13-1/2 in. x 16 in. Work Table, 115 Volt, Single Phase
78	1	Clausing Industrial 20 in. Model 2230 Variable Speed Bench-Top Drill Press, S/N: 109940; with Multi Spindle Drill Attachment, 150 to 2,000 RPM Spindle Speeds, 15-3/4 in. x 18-1/4 in. Work Table, 1-1/2 HP, 230 Volt, 3 Phase
81	1	Lot - Electrical Wire on (1) Pallet
82	1	Sunnen Model MBB-1660-K Precision Honing Machine, S/N: 3W1-94609; with Power Stroker, 1/2 HP, 200 to 2,500 RPM Spindle Speeds, 7.2 Amp, 115 Volt, Single Phase, with Related Hone Tooling



83	1	Enco 2-HP Model 92050 Vertical Milling Machine, S/N: 700727; with 9 in. x 42 in. T-Slot Table, 80 to 5,520 RPM Spindle Speeds, 5 in. Quill Adjustment, 1-Shot Lube (Machine #: A)
84	1	Bridgeport 1-HP Vertical Milling Machine, S/N: 12BR197397; with 9 in. x 42 in. T-Slot Table, 80 to 2,720 RPM Spindle Speeds, 5 in. Quill Adjustment, Mill Head S/N: J-208390, 1-Shot Lube, Work Light (Machine #: F)
85	1	Bridgeport 1-HP Vertical Milling Machine, S/N: 12BR205276; with 9 in. x 42 in. T-Slot Table, 80 to 2,720 RPM Spindle Speeds, 5 in. Quill Adjustment, Mill Head S/N: J217553, 1-Shot Lube (Machine #: E)
86	1	Feeler Model FTS-27 "High Accuracy" Precision Toolroom Lathe, S/N: 730904; with 30 in. Bed, 9 in. Swing, 230 to 3,500 RPM Spindle Speeds, 6-Position Turret, Tool Compound, 1 in. Thru Spindle with Lever Type 5C Collet Closer, 1/8 HP Coolant Pump, 2-HP Main Motor, 220 Volt, 3 Phase, 60-Hz
87	1	DoAll 9 in. x 16 in. Model C-916A "Job Selector" Horizontal Metal Cutting Band Saw, S/N: 528-97237; with 1 in. x 159 in. Band Length, 105 to 275 FPM Cutting Speeds, 5 Gallon Capacity Coolant Tank, 2-HP, 230V, 3-Ph, 60-Hz, 10-Amp, 18 in. x 192 in. 750 lb. Cap. Infeed Roller Conveyor, Work Light
88	1	Okamoto 6 in. x 12 in. Model 6-12/14 Linear Hand Feed Surface Grinder, S/N: 3961; with Newall DPG 2-Axis Digital Read-Out, Vac-U-Guard, Walker LBP 6 in. x 12 in. Electromagnetic Chuck, Walker Model SCV-1.5 Chuck Control, 2-HP Spindle, Push Button Controls
89	1	Boyar-Schultz 6 in. x 12 in. H612 Challenger Hand Feed Surface Grinder; with Walker LBP 6 in. x 12 in. Electromagnetic Chuck, 1 HP Spindle, 1-Shot Lube, Work Light
90	1	Matsuura RA-2G CNC Vertical Machining Center, S/N: 000914291 (2000); with Pallet Changer, (2) 28 in. x 17 in. (approx.) Pallets, Fanuc Series 16i-M CNC Control, 30-HP Spindle Motor, 15,000 RPM Spindle Speed, 30-Station Automatic Tool Changer, BT 40 Taper, Coolant Through Spindle, 26 in. X-Axis Travel, 18 in. Y-Axis Travel, 19 in. Z-Axis Travel, Turbo Systems 8 in. wide Model 5475-8201 Variable Speed Chip Conveyor S/N: 359672, 200/220V, 50/60 Hz, 3-Ph, 50-KVA, 144-Amp (Machine #: 10)
91	1	Hurco Model VM20 CNC Vertical Machining Center, Mfg. #: H-V2E0031 (2008), S/N: VM20-06002128AHB; with Hurco Max CNC Controls, 20-Station Automatic Tool Changer, 20-HP Spindle, 10,000 RPM Spindle Speed, CAT-40 Taper, 46 in. x 18 in. Production Table, 40 in. X-Axis Travel, 20 in. Y-Axis Travel, 20 in. Z-Axis Travel, Chip Pan, Coolant Tank with Pump, 230V, 60-Hz, 3-Ph, 20-KVA, 49-Amp (Machine #: 4)



92	1	Hurco Model VM1 CNC Vertical Machining Center, Mfg. #: H-V10509 (2004), S/N: VM1-06003044BEA; with Hurco Max CNC Controls, 16-Station Automatic Tool Changer, 10-HP Spindle, 8,000 RPM Spindle Speed, CAT-40 Taper, 30 in. x 14 in. Production Table, 26 in. X-Axis Travel, 14 in. Y-Axis Travel, 18 in. Z-Axis Travel, Chip Pan, Coolant Tank with Pump, 230V, 60-Hz, 3-Ph, 13-KVA, 33-Amp (Machine #:3)
93	1	Fanuc Robodrill alpha-T21iFL CNC Drilling and Tapping Center, Type: AO4B-0099-B113#BBH, S/N: PO86WH783 (2008); with Fanuc Series 31i - Model A5 CNC Controls, 21-Station Automatic Tool Changer, (2) 27.5 in. x 15.3 in. Pallets, Pallet Changer, BT 30 Spindle, Chip Pan, Coolant Tank with Pump, 220V-50/60-Hz, 220V-50/60-Hz, 3-Ph, 11-KVA (Machine #: 1)
94	1	Fanuc Robodrill alpha-T21iFL CNC Drilling and Tapping Center, Type: AO4B-0099-B113#BBH, S/N: PO86WH781 (2008); with Fanuc Series 31i - Model A5 CNC Controls, 21-Station Automatic Tool Changer, (2) 27.5 in. x 15.3 in. Pallets, Pallet Changer, BT 30 Spindle, Chip Pan, Coolant Tank with Pump, 220V-50/60-Hz, 220V-50/60-Hz, 3-Ph, 11-KVA (Machine #: 2)
95	1	Fanuc Robodrill alpha-T14iB CNC Drilling and Tapping Center, Type: AO4B-0078-B102#WM, S/N: P009TL208 (2000); with Fanuc Series 16i-M CNC Controls, 14-Station Turret Style Automatic Tool Changer, BT 30 Spindle, (2) 19 in. x 15 in. Pallets, Chip Pan, Coolant Tank with Pump, 10 KVA, 200V-50/60-Hz, 220V-60-Hz, with Kawatatec Nobel Model SP3950B Pallet Changer S/N: 0009-02 (2000) (Machine #: 5)
96	1	Fanuc Robodrill alpha-T14iBL CNC Drilling and Tapping Center, S/N: PO11TM270 (2001); with Fanuc Series 16 i-M CNC Controls, 14-Station Automatic Tool Changer, BT 30 Spindle, (2) 27.5 in. x 15.3 in. Pallets, Chip Pan, Coolant Tank with Pump, 10-KVA, 200V-55/60-Hz, 220V-60-Hz, with Kawatatec Nobel Model SP-3970B Pallet Changer S/N: 0101-11L (2001) (Machine #: 6)
97	1	Fanuc Robodrill alpha-T14iBL CNC Drilling and Tapping Center, S/N: P00XTM109 (2000); with Fanuc Series 16 i-M CNC Controls, 14-Station Automatic Tool Changer, BT 30 Spindle, (2) 27.5 in. x 15.3 in. Pallets, Chip Pan, Coolant Tank with Pump, 10-KVA, 200V-55/60-Hz, 220V-60-Hz, with Kawatatec Nobel Model SP3970B Pallet Changer S/N: 0009-08 (2000) (Machine #: 7)
98	1	Samsung (SMEC) SL25BMC/1000 CNC Turning Center, S/N: 14K680163 (2016); with Fanuc Series Oi-TD CNC Controls, Samchully 10 in. Model HS-10 3-Jaw Chuck S/N: 141081, 12-Position Turret, Tail Stock, Touch Probe, Parts Catcher, Coolant Tank with Pump, TSP Hydraulic Unit, Foot Pedal, SDL (Steel Dream Life) 12 in. Model PL-30L Motorized Chip Conveyor S/N: SDL 141017, 200/220V, 50/60-Hz, 3-Ph, 35-KVA



99	1	DN Solutions Lynx 2100 LMB CNC Turning Center, S/N: ML0337-000705 (2023); with DN Solutions-Fanuc i Series Plus CNC Controls, Samchully 8 in. Model MH-208BVI 3-Jaw Chuck S/N: 23E109 Rated at 5,000 Max. RPM, 24-Position BMT Hybrid Turret, Tail Stock with Live Center, Touch Probe, Parts Catcher, 15-HP, HALS Model HMGP-303M Lube System, Hydtec 5-Kw Model 400821-00308F Hydraulic Unit, KEM Model KOS-350SC Oil Skimmer, Coolant Tank with Pump, Foot Pedal, LNS Turbo 8 in. Model 57519020 Variable Speed Chip Conveyor S/N: 13575111320 with Digital Controls, 220V, 24.21-KVA, 63.54-Amp (Sold, Subject to Lienholder Approval)
99A	1	Royal p/n 42057-D Low Profile Pullback CNC 5C Collet Chuck with Mounting Plate in (1) Box, 6 in. Length
99B	1	Eppinger Preci-Flex 7.075-555 6,000 RPM ER20 Collet Chuck Angular Drilling and Milling Head (1) Box
99C	1	Eppinger Preci-Flex 850418-00441 6,000 RPM ER20 Collet Chuck Angular Drilling and Milling Head in (1) Box
99D	1	Eppinger Preci-Flex R78831C 6,000 RPM ER20 Straight Collet Chuck Drilling and Milling Head with Turret Tool Holder Block in (1) Box
99E	1	Eppinger Preci-Flex BMT45 Tool Holder Adaptor Set with Case
100	1	Daewoo PUMA-200LMSA CNC Lathe, S/N: 20MS0170 (1998); with Fanuc Series 18-T CNC Controls, Kitagawa 8 in. Model BT208 2-Jaw Chuck Rated at 5,000 RPM, 12-Position Turret, Tail Stock, Touch Probe, Parts Catcher, NDF Model NDR151-103L-30-F Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 30.07-KVA, 78.93-Amp, AC 200/220V, 3-Ph, 50/60-Hz, Magnum Parts Conveyor, Turbo 12 in. Model 5475-8155 Motorized Chip Conveyor S/N: 349315 (Machine #: 8)
101	1	Daewoo Puma-200C CNC Lathe, S/N: PM200473 (1998); with Fanuc Series 18-T CNC Controls, Kitagawa 8 in. Model BB08 3-Jaw Chuck, 12-Position Turret, Tail Stock, Touch Probe, Parts Catcher, Vickers Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 200/220V, 3-Ph, 50/60-Hz, 26.33-KVA, 69.11-Amps, Turbo 12 in. Model 5475-8097 Motorized Chip Conveyor S/N: 342244
102	1	Mori Seiki DuraTurn 2050 CNC Turning Center, S/N: DT205130709 (2013); with Mori Seiki FoiTD CNC Controls, Kitagawa 8 in. Model BB208 3-Jaw Chuck S/N: 1L4494 Rated at 4,000 RPM, 12-Position Turret, Tail Stock, Daikin Eco Rich Model EHU14-Lo4-A-30-133F Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 220V, 3-Ph, 60-Hz, 56-Amp, 54-Amp Spindle Motor, 21-KVA, LNS 8 in. Model 57508287 Motorized Chip Conveyor S/N: 397776
103	1	DMG Mori Seiki DuraTurn 2050 CNC Turning Center, S/N: DT205140707 (2014); with DMG Mori FoiTD CNC Controls, Collet Chuck, 12-Position Turret, Tail Stock, Parts Catcher, Daikin Eco Rich Model EHU14-Lo4-A-30-133F Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 220V, 3-Ph, 60-Hz, 58-Amp, 54-Amp Spindle Motor, 22-KVA, LNS Turbo 8 in. Model 57508287 Motorized Chip Conveyor S/N: 13575000836



104	1	Mori Seiki SL-150SMC CNC Turning Center, S/N: 230 (1996); with Mori Seiki MSC-518 CNC Controls, Collet Chuck, 12-Position Turret, Tail Stock, Nachi Fujikoshi Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, Tsubakimoto-Mayfran 10 in. Model MT-10 Motorized Chip Conveyor, 220V, 60-Hz, 3-Ph, 96-Amp
105	1	Mori Seiki SL-25B CNC Turning Center, S/N: 6458; with Fanuc MF-T6 CNC Controls, 10 in. Model ZA6-10-72 3-Jaw Chuck S/N: 30502 Rated at 4,000 RPM, 10-Position Turret, Tail Stock with Center, Touch Probe, Daikin Model Y484042A Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 220V, 3-Ph, 60-Hz, 30-KVA
106	1	Mori Seiki Model AL-20ATM NC Lathe, S/N: 1764; with Fanuc OT Mate NC Controls, Collet Chuck, 12-Position Turret, Tail Stock, Touch Probe, Daikin Model Y481082A Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 220V, 3-Ph, 60-Hz, 18-KVA
107	1	Mori Seiki Model AL-20ATM NC Lathe, S/N: 2631; with Fanuc OT Mate NC Controls, Collet Chuck, 12-Position Turret, Tail Stock, Touch Probe, Daikin Model Y481082A Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 220V, 3-Ph, 60-Hz, 18-KVA
108	1	Mori Seiki Model SL-3A NC Lathe, S/N: 823; with Yasnac NC Controls, Kitagawa 8 in. Model BT208 2-Jaw Chuck Rated at 5,000 RPM, 8-Position Turret, Tail Stock, Showa Lube System, Daikin Hydraulic Unit, Coolant Tank with Pump, Foot Pedal, 220V, 3-Ph, 60-Hz, 32-KVA (Machine #: 12)
109	1	Mori Seiki Model SL-1 NC Lathe, S/N: 1212; with Fanuc System 6T NC Controls, 8-Position Turret, Tail Stock, Showa Lube System, Daikin Hydraulic Unit, Coolant Tank with Pump, Foot Pedal (**Note: Not in Service, Parts Machine)
110	1	Mori Seiki Model SL-1A CNC Lathe, S/N: 551; with 8-Position Turret, Tail Stock, Showa Lube System, Daikin Hydraulic Unit, Coolant Tank with Pump, Foot Pedal (**Note: Not in Service, Parts Machine)
111	1	Dayton 5-HP Cast Iron Series Model 5F231A 2-Stage Vertical Tank Mounted Air Compressor, S/N: 071995L-817139; with Model 5F235B Compressor Pump, 230 Volt, 3 Phase
112	1	Devair 5-HP 80-Gallon Model TAPV-5052 Vertical Tank Mounted Air Compressor, S/N: 47012-QB (2002); Rated at 175-PSI, with Devair Model 247 Compressor Pump, S/N: 12079, 230 Volt, 3 Phase
113	1	SMW Sameca Type SpaceSaver 2000 Bar Feed, S/N: 7.8-984 (1997); with Pendant Control
113A	1	Lot - Draw Tubes on (1) Pallet
114	1	Tail Stock for CNC Lathe
115	1	Yuasa 6 in. CNC Programmable Rotary Index Table with Yuasa Model UDNC-M1/5Y3-603697-10X Control
116	1	12 in. Rotary Index Table
117	1	6 in. Inclinal Machine Vise with Rotary Base and Handle



118	1	Kurt Model D688 6 in. Machine Vise with Handle, S/N: 12738
119	1	Kurt Model D675 6 in. Machine Vise with Handle, S/N: 161489
120	1	Kurt Model D675 6 in. Machine Vise with Handle, S/N: 161487
121	1	Kurt Model D688 6 in. Machine Vise with Handle, S/N: 12739
122	1	Kurt Model D60 6 in. Machine Vise with Handle
123	1	6 in. Machine Vise with Handle
124	1	6 in. Machine Vise with Handle
125	1	6 in. Machine Vise with Handle
126	1	Kurt Model D675 6 in. Machine Vise with Handle, S/N: 43275
127	1	Kurt Model D675 6 in. Machine Vise, S/N: 024621
128	1	Kurt Model D675 6 in. Machine Vise, S/N: 43117
129	1	Kurt Model D675 6 in. Machine Vise, S/N: 127316
130	1	Kurt Model D675 6 in. Machine Vise, S/N: 011455
131	1	6 in. Machine Vise
132	1	6 in. Machine Vise with Rotary Base
133	1	Kurt Model D675 6 in. Machine Vise Body, S/N: 134376
134	1	Bridgeport 6 in. Machine Vise with Rotary Base and Handle
135	1	Bridgeport 6 in. Machine Vise with Rotary Base and Handle
136	1	Gibraltar 6 in. Machine Vise
137	1	Kurt Model D40 4 in. Machine Vise, S/N: 006538
138	1	Kurt Model D40 4 in. Machine Vise, S/N: 23816
139	1	Kurt Model D40 4 in. Machine Vise, S/N: 004169
140	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 23772
141	1	Kurt Model D40 4 in. Machine Vise, S/N: 23831
142	1	Kurt Model D40 4 in. Machine Vise, S/N: 086524
143	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 086520
144	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 084177
145	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 006539
146	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 006537
147	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 23800
148	1	Kurt Model D40 4 in. Machine Vise with Handle, S/N: 006545
149	1	GMT Model GSV-440 4 in. Machine Vise, S/N: 1102039
150	1	GMT Model GSV-440 4 in. Machine Vise with Handle, S/N: 1102022
151	1	GMT Model GSV-440 4 in. Machine Vise with Handle, S/N: 1102002
152	1	GMT Model GSV-440 4 in. Machine Vise with Handle, S/N: 1102010
153	1	4 in. Machine Vise with Handle
154	1	4 in. Machine Vise
155	1	Lot - Machine Vise Handles and Vise Jaws in (3) Boxes
156	1	Heinrich Model 6-SV 6 in. Slide Type Drill Press Vise
157	1	Heinrich Model 4-GM 4 in. Slide Type Drill Press Vise
158	1	4 in. Slide Type Drill Press Vise
159	1	3 in. Machine Vise with 2-1/2 in. Drill Press Vise



160	1	Lot - (2) 6 in. Vises
161	1	Lot - (2) 6 in. x 1/4 in. x 1-1/4 in. 150 Grit 1/16 in. Depth and (1) 6 in. x 1/4 in. x 1-1/4 in. 100 Grit 1/8 in. Depth Diamond Wheels with Case Boxes
162	1	Lot - Diamond Wheels and Grinding Wheels in (2) Boxes
163	1	Electro-Matic Model A1-3-1 4.5 in. x 7.5 in. Bench-Top Demagnetizer, S/N: 7967124X, 4 Amp, 115 Volt
164	1	Walker Ceramax 6 in. x 18 in. Magnetic Chuck, S/N: AXM-7573-4
165	1	Harig No. 1 Grind-All Fixture with Case
166	1	Sumoto Model HA6-8II 10 in. 3-Jaw Lathe Chuck
167	1	Kitagawa Model BB208 8 in. 5,000 RPM 3-Jaw Lathe Chuck
168	1	Kitagawa Model BB208 8 in. 5,000 RPM 3-Jaw Lathe Chuck
169	1	Strong NT-208 8 in. 2-Jaw Power Lathe Chuck
170	1	Kitagawa Model B-206 6 in. 6,000 RPM 3-Jaw Lathe Chuck
171	1	Kitagawa Model HOH-6 6 in. Counter Balanced 3-Jaw Lathe Chuck
172	1	Kitagawa Model HOH-06K 6 in. Counter Balanced 3-Jaw Lathe Chuck
173	1	Kitagawa Model B-206 6 in. 6,000 RPM 3-Jaw Lathe Chuck
174	1	Kitagawa Model B-206 6 in. 6,000 RPM 3-Jaw Lathe Chuck
175	1	Hitachi Seiki Model HA5-6II 6 in. 3-Jaw Lathe Chuck
176	1	Kitagawa Model B-205 5 in. Open Center 3-Jaw Hydraulic Power Lathe Chuck
177	1	Kitagawa Model B-205X 5 in. 7,000 RPM 3-Jaw Lathe Chuck
178	1	Spindle Nose Collet Chuck
179	1	Spindle Nose Collet Chuck
180	1	Horizontal/Vertical 5C Collet Index
181	1	Phase II Model 22-205 Horizontal/Vertical 5C Collet Index, S/N: 138
182	1	Lot - Lathe Chuck Jaws in (4) Boxes
183	1	Lot - Lathe Chuck Jaws in (4) Boxes
184	1	Lot - Lathe Chuck Jaws in (4) Boxes
185	1	Lot - Lathe Chuck Jaws in (5) Boxes
186	1	Lot - Setup Tooling in (3) Boxes
187	1	19-1/2 in. W x 11-3/4 in. D x 15-1/2 in. H Angle
188	1	Lot - (3) 7 in. W x 4-1/2 in. D x 5-1/2 in. H and (1) 10 in. W x 6 in. D x 8 in. H Angles in (1) Group
189	1	Lot - (6) Various Small Angles in (1) Group
190	1	Lot - Step Blocks, Clamps, T-Nuts, Extension Nuts, Washer Nuts, Nuts and Washers in (4) Boxes
191	1	Lot - Threaded Rod and Allen Head Cap Screws in (5) Boxes
192	1	Lot - Hold Downs, Setup Tooling and Fixture Tooling in (2) Boxes with Machine Foot Pedal and Showa Model LCB-4-6229 Lubricator
193	1	Lot - (10) BT-40 End Mill Holders in (1) Box
194	1	Lot - (10) BT-40 End Mill Holders in (1) Box



195	1	Lot - (10) BT-40 End Mill Holders in (1) Box
196	1	Lot - (7) BT-40 End Mill Holders in (1) Box
197	1	Lot - (10) BT-40 Collet Chucks in (1) Box
198	1	Lot - (10) BT-40 Collet Chucks in (1) Box
199	1	Lot - (10) BT-40 End Mill Holders in (1) Box
200	1	Lot - (8) BT-40 End Mill Holders in (1) Box
201	1	Lot - (1) Jacobs No. 34 1/2 in. BT-40 Drill Chuck, (1) 1/2 in. BT-40 Boring Head and (1) BT-40 Tap Holder in (1) Box
202	1	Lot - (2) BT-40 Tap Holders and (1) BT-40 Face Mill Holder in (1) Box
203	1	Lot - (10) CAT-40 End Mill Holders in (1) Box
204	1	Lot - (7) Various CAT-40 End Mill Holders in (2) Boxes
205	1	Lot - (10) CAT-40 End Mill Holders in (1) Box
206	1	Lot - (11) CAT-40 Collet Chucks in (1) Box
207	1	Lot - (10) CAT-40 Collet Chucks in (1) Box
208	1	Lot - (9) Various CAT-40 Tool Holders in (1) Box
209	1	Lot - (6) CAT-40 Face Mill Holders in (1) Box
210	1	Lot - (3) CAT-40 Collet Chucks and (1) 40 Taper Tool Holder Fixture in (2) Boxes
211	1	Lot - (7) CAT-40 End Mill Holders in (1) Box
212	1	Lot - (7) Various CAT-40 Tool Holders in (1) Box, Including: (1) End Mill Holder, (2) Collet Chucks, (1) Tap Holder, (1) 5/8 in. Drill Chuck, (1) Insert Boring Bar and (1) Microbore
213	1	Lot - (9) BT-30 End Mill Holders in (1) Box
214	1	Lot - (8) BT-30 End Mill Holders in (1) Box
215	1	Lot - (8) BT-30 End Mill Holders in (1) Box
216	1	Lot - (8) BT-30 End Mill Holders in (1) Box
217	1	Lot - (10) Various BT-30 End Mill Holders in (1) Box
218	1	Lot - (8) BT-30 End Mill Holders in (1) Box
219	1	Lot - (10) Various BT-30 End Mill Holders in (1) Box
220	1	Lot - (8) BT-30 Collet Chucks in (1) Box
221	1	Lot - (8) BT-30 Collet Chucks in (1) Box
222	1	Lot - (8) BT-30 Collet Chucks in (1) Box
223	1	Lot - (8) BT-30 Collet Chucks in (1) Box
224	1	Lot - (6) BT-30 Collet Chucks in (1) Box
225	1	Lot - (9) BT-30 Collet Chucks in (1) Box
226	1	Lot - (8) BT-30 Collet Chucks in (1) Box
227	1	Lot - (9) BT-30 Collet Chucks in (1) Box
228	1	Lot - (9) BT-30 Collet Chucks in (1) Box
229	1	Lot - (4) BT-30 Face Mill Holders and (2) BT-30 1/2 in. Keyless Drill Chucks in (1) Box
230	1	Lot - ER40 and RD32 Collets in (1) Box
231	1	Lot - ER25 Collets in (1) Box
232	1	Lot - ER16 Collets in (1) Box
233	1	Lot - Hardinge Collet Pads in (1) Box



234	1	EWS Radial Driven RD32 Collet Chuck Live Tool Holder for Mori Seiki in (1) Box, p/n 60.65321809DW02
235	1	Lot - (2) EWS Axial Driven RD32 Collet Chuck Live Tool Holders for Mori Seiki in (1) Box, p/n 40.65321809DW02
236	1	Lot - (2) Alps Tool Nagano NA-20 3,000 RPM Collet Chuck Live Tool Holders for Mori Seiki in (1) Box, p/n T32106B05
237	1	Lot - (2) Alps Tool Nagano NA-16 Collet Chuck Live Tool Holders for Mori Seiki in (1) Box, p/n T32107B02
238	1	Lot - (3) 1 in. I.D. Boring Bar Holder Turret Blocks in (1) Box
239	1	Lot - (2) 1-1/2 in. O.D. and (2) 3/4 in. O.D. Turning Tool Holder Turret Blocks in (1) Box
240	1	Lot - (2) 1-1/4 in. I.D. Boring Bar Holders and (3) 2 in. O.D. Turning Tool Holder Turret Blocks in (1) Box
241	1	Lot - (3) 1 in. I.D. Boring Bar Holder Turret Blocks in (1) Box
242	1	Lot - (4) 1-1/4 in. I.D. Boring Bar Holder Turret Blocks in (1) Box
243	1	Lot - (8) Various Turning Tool Holder Turret Blocks in (1) Box
244	1	Lot - (12) 3/4 in. O.D. and (1) 3/4 in. O.D. Turning Tool Holder Turret Blocks in (1) Box
245	1	Lot - (12) 3/4 in. O.D. and (1) 3/4 in. O.D. Turning Tool Holder Turret Blocks in (1) Box
246	1	Lot - (12) 3/4 in. O.D. Turning Tool Holder Turret Blocks in (1) Box
247	1	Lot - (8) 7/8 in. O.D. and (4) 7/8 in. O.D. Offset Turning Tool Holder Turret Blocks in (1) Box
248	1	Lot - Various Boring Bar Holder Turret Blocks in (1) Box
249	1	Lot - (8) 5/8 in. I.D. Boring Bar Holder Turret Blocks in (1) Box
250	1	Lot - (15) Various Boring Bar Holder Turret Blocks in (1) Box
251	1	Lot - (18) Various Boring Bar Holder Turret Blocks in (1) Box
252	1	Lot - (9) 2 in. O.D. Turning Tool Holder Turret Blocks in (1) Box
253	1	Lot - 1-1/4 in. I.D. and 1-1/2 in. I.D. Boring Bar Holder Turret Blocks in (1) Box
254	1	Lot - Tool Adaptor Sleeves in (1) Box
255	1	Lot - Live and Dead Centers in (1) Box
256	1	Reliance 72-Piece 5C Collet Set with Steel Stand
257	1	Reliance 72-Piece 5C Collet Set with Steel Stand
258	1	Lot - 5C Collets in (1) Box
258A	1	Lot - 5C Collets in (1) Box
259	1	Lot - R8 Collets in (1) Box
259A	1	Eagle Model 1795 750-lb. Capacity 32 in. Wide Poly Dock Plate for 2-Wheel Hand Trucks
260	1	Vertical Steel Bulk Storage Silo
261	1	BAC Model 3184-R Cooling Tower, S/N: 92600613P; Belt #: 3B83 (Not in Service, Idle Since 2010)



262	1	Lot - Solid Round and Solid Flat Bar Stock on (1) Rack with Aluminum Stock (Rack Not Included)
263	1	120 in. W x 90 in. D x 108 in. H 3-Tier Double Sided Adjustable Cantilever Stock Rack with (28) Arms (Contents Not Included) (Not To Be Removed Until Empty)
264	1	Lot - Parts and Fixtures on (4) Shelves in (1) Section
265	1	Lot - Parts and Fixtures on (4) Shelves in (1) Section
266	1	Lot - (1) Section of 96 in. W x 24 in. D x 137 in. H and (1) Section of 72 in. W x 24 in. D x 117 in. H Racking with Plywood Decking (Contents Not Included) (Not To Be Removed Until Empty)
267	1	Lot - (1) Section of 96 in. W x 24 in. D x 105 in. H and (1) Section of 96 in. w x 24 in. D x 117 in. H Racking with Plywood Decking
268	1	Ormond 5,000-lb. Capacity Model SS-26-44-5K Platform Scale, S/N:: 2810; with 48 in. x 48 in. Platform, NCI Model 5850-M Dual Counting Scale
269	1	Prazis 30 in. Model Po-750 Optical Comparator, S/N: 7507; with SPI Quadra-Chek II 2-Axis Digital Read-Out, 32 in. x 8 in. Work Table, 1,100 Watt, 10 Amp, 115 Volt, 60-Hz, Single Phase
270	1	Covel 14 in. Style 14 Optical Comparator, S/N: 14-868; 13 in. x 6 in. Work Table
271	1	TESA 24 in. Micro-Hite Plus M-600 Motorized Digital Height Gage, S/N: 5L-1312-03; with Stylus Set, Digital Read-Out
272	1	Astral 24 in. x 36 in. x 4 in. Thick Granite Surface Plate
273	1	24 in. x 24 in. x 3 in. Thick Granite Surface Plate
274	1	18 in. x 24 in. x 4 in. Thick 2-Ledge Granite Surface Plate
275	1	18 in. x 24 in. x 4-1/2 in. Thick 2-Ledge Granite Surface Plate
276	1	18 in. x 24 in. x 4 in. Thick 2-Ledge Granite Surface Plate
277	1	Sundstrand 20 in. Bench Center
278	1	Federal Model DA-1 Air Gage
279	1	Sheffield Model 1000 Bench-Top Optical Comparator Gage, S/N: M541-6764RS
280	1	Mitutoyo 6-Piece 6 in. to 12 in. Outside Micrometer Set with Standards and Case
281	1	Mitutoyo 1 in. to 6 in. Outside Micrometer Set with Standards and Case (Missing 0 in. to 1 in. and 2 in. to 3 in. Micrometers)
282	1	Lot - (2) Mitutoyo 2 in. to 3 in. Outside Micrometers with Cases
283	1	Mitutoyo 1 in. to 2 in. Outside Micrometer with Mitutoyo 0 in. to 1 in. Outside Micrometer and Cases
284	1	Lot - (2) 0 in. to 1 in. Outside Micrometers with Cases
285	1	Lot - (4) Outside Micrometers in (1) Box, Including: (1) 0 in. to 1 in., (1) Brown & Sharpe No. 30-1 2 in. to 3 in., (1) Starrett 3 in. to 4 in. and (1) Starrett 4 in. to 5 in.



286	1	Intertest 0.4 in. to 0.8 in. Internal Dial Caliper with N.C.K. 1-1/8 in. to 2-1/8 in. Internal Dial Caliper
287	1	Quicktest 1.20 in. to 1.60 in. Internal Dial Caliper with Case
288	1	Mitutoyo 1.2 in. to 1.4 in. 3-Point Internal Micrometer with Brown & Sharpe 0.8 in. to 1.0 in. Internal Micrometer and Case
289	1	Mitutoyo No. 145-193 0.2 in. to 1.0 in. Internal Micrometer with Case
290	1	Lot - Starrett Depth Micrometer Standards with Case
291	1	Mitutoyo 12 in. Cat. #: HM-12 Height Master, Code #: 515-310, S/N: 810984;
292	1	Yuasa 12 in. Vernier Height Gage with Mitutoyo No. 570-112 8 in. Digital Height Gage
293	1	Gibraltar 4 in. Precision Machine Vise
294	1	3 in. Precision Machine Vise
295	1	Lot - (2) 3-1/2 in. W x 5 in. D x 2-3/4 in. H Vee Blocks
296	1	Lot - SPI Model 98-284-3 Magnetic Vee Block with (2) Small Vee Blocks and (1) Small Angle
297	1	Dialsink Chamfer Gage with Case
298	1	Sunnen GR-6000 Series 0.74 in. to 1.19 in. Dial Bore Gage with Case
299	1	Mitutoyo 1.4 in. to 2.4 in. Dial Bore Gage with Case
300	1	Federal Dial Bore Gage with Case
301	1	Mitutoyo No. 511-104 0.7 in. to 1.4 in. Dial Bore Gage with Case
302	1	Mitutoyo Set No. Be1-81-2 Grade 2 Gage Block Set with Case, S/N: 100497
303	1	Lot - (2) Gage Block Sets with Cases
304	1	Lot - Mitutoyo 6 in. Digital Caliper, Mitutoyo 8 in. Dial Caliper and 8 in. Vernier Caliper in (1) Box
305	1	Shars 6 in. Dial Caliper with Case
306	1	Kanon 40 in. Vernier Caliper with Case
307	1	Yuasa 24 in. Vernier Caliper with Case
308	1	Mitutoyo Model SurfTest SJ-210 Surface Roughness Tester, S/N: 529312312;
309	1	Mahr Federal Pocket Surf Portable Surface Roughness Tester with Case
310	1	4-Drawer 0.011 in. to 0.750 in. Pin Gage Cabinet with Meyer Model C-10 0.011 in. to 0.250 in., Model M-2 Minus 0.251 in. to 0.500 in., Model M-3 Minus 0.501 in. to 0.625 in. and Model M-4 Minus 0.626 in. to 0.750 in.
311	1	Meyer Model M-2 Minus 0.251 in. to 0.500 in. Pin Gage Set with Case
312	1	Meyer Model M-1 Minus 0.061 in. to 0.250 in. Pin Gage Set with Case
313	1	Model M-2 Minus 0.251 in. to 0.500 in. Pin Gage Set with Case
314	1	Model M-1 Minus 0.061 in. to 0.250 in. Pin Gage Set with Case
315	1	Lot - (3) Model M-0 Minus 0.011 in. to 0.060 in. Pin Gage Sets with Cases
316	1	Lot - Pin Gages in (1) Box
317	1	Lot - Magnetic Indicator Stands and Dial Indicators in (2) Boxes



318	1	Lot - (2) 6 in. x 6 in. x 2 in. Thick Granite Indicator Stands with (1) Mitutoyo Absolute Digital Indicator and (1) SPI Dial Indicator
319	1	Lot - Precision Blocks and Sine Bar in (1) Box with Parallel Set and Case
320	1	Lot - (2) Interchangeable Steel Type Hand Stamp Sets with Cases
321	1	Lot - Plug Gages and Ring Gages in (5) Boxes
322	1	Lot - Various Inspection in (4) Boxes, Including: Plug Gages, Snap Gages, Indicator Stand, Micrometer Standards, etc.
323	1	Fanuc Type Ao6B-6060-H006 AC Spindle Servo Unit, S/N: F73-00075
324	1	Vogel Machine Lubricator
325	1	Lot - (2) 18-Drawer Plastic Bin Organizer Cabinets
326	1	24 in. x 32 in. Utility Cart with Magnifying Lamp