

Machined Metals Manufacturing, Inc.

Elk Grove Village, Illinois

Auction Date: Wednesday November 5th, 2025

(Lot Catalog - Subject to Change)

Lot No.:	Qty:	Auction Description:
1	1	Sunnen Model MBC-1804 Precision Honing Machine, S/N: 89481; with 1.5-mm Min. Diameter, 6.0, 19.156 Hone Max. Length, Lubrication System, Coolant System, Honing Attachment
2	1	Bench-Top Tool and Cutter Grinder, Name, Model & S/N: N/A; with Gryphon Brook Motors Ltd. Model TC Single Phase Motor, Mounted on Steel Cabinet
3	1	Arboga 18 in. Model G 2508 Single Spindle Vertical Boring Machine, S/N: 276752; with 16 in. x 13 in. Table, R/M: 125 to 3,480, 220-Volt, 0.85/0.7 kW, 3-Ph, 60-Hz, 3.5-Amp, 3,370/1,610 R/Min
4	1	Clausing 20 in. Model 2224 Floor-Type Drill Press, S/N: 106849; with Model 2217 Vertical Pneumatic Feed S/N: 002746, 7 in. Quill Adjustment, 18 in. x 15-1/2 in. Table, 1,755 RPM, 1.5-HP
5	1	Rockwell 17 in. Model 17-430 Floor-Type Drill Press, S/N: 84A77043; Variable Speed, with 17 in. x 12-1/2 in. Table, 1-HP Motor
6	1	Dayton No. 4 Model 1UH15C Bench-Top Arbor Press; on Steel Base
7	1	6,000 PSI Bench-Top Hydraulic Pump; with Stand
8	1	Walker Turner 18 in. Model 291319 Vertical Band Saw, S/N: 1105448; with 18 in. x 17 in. Tilting Table, 3/4 HP Motor
9	1	Clausing Arboga 18 in. Model 25011 Floor-Type Gear Head Drill Press, S/N: 287547E; with Procunier Style Tapping Head, 18 in. x 15-1/2 in. Table, 125 to 3,480 R/M, 220-Volt, 0.85/0.7 kW, 3-Ph, 60-Hz, 4.0-Amp
10	1	Rockwell 15 in. Model 15-081 Floor-Type Drill Press, S/N: 1753272; with 18 in. x 12 in. Table, 1/2 HP Motor
11	1	Clausing 15 in. Model 1763 Floor-Type Drill Press, S/N: 123330; with 18 in. x 12 in. Table, 5 in. Quill Adjustment, 3/4 HP Motor
12	1	Orbit Machine Tools 14 in. 5-Speed Model OR 1412F Floor-Type Industrial Drill Press, S/N: N/A; with 1/2 in. Chuck Capacity, JT #33 Spindle, 12 in. Dia. Adjustable Table, 1/6 HP Motor
13	1	Clausing Arboga 15 in. Model 1752 Floor-Type Drill Press, S/N: 122486; with 18 in. x 12 in. Table, 5 in. Quill Adjustment, 3/4 HP Motor
14	1	Clausing 15 in. Model 1763 Floor-Type Drill Press, S/N: 123329; with 18 in. x 12 in. Table, 3/4 HP Motor



1	Okuma LB3000EXII-MYW 800 Spaceturn CNC Turning Center, S/N: 170709 (2013); with Okuma OSP-P300L CNC Controls, Schunk Model 260-81 ROTA THW plus 3-Jaw Chuck, 12-Position Turret, Kitagawa Model B-206 3-Jaw Chuck, Configuration: MYW = M + Y + W Options (i.e. Multi-Axis, Y-Axis, Sub-Spindle or "Twin Spindle", Dual Tap, 220/480-Volt, 3-Ph, 60-Hz, Manual Touchsetter, Mayfran Chip Conveyor S/N: 13M4136
1	Haas VF-2SS CNC Vertical Machining Center, S/N: 1050902 (2006); with Haas CNC Controls, Haas VOP-B, 24-Position High Speed Automatic Tool Changer, Inline Direct Drive Spindle, 12,000 RPM, Coolant-Thru-Spindle, Travels: 30 in. X-Axis, 16 in. Y-Axis, 20 in. Z-Axis, 36 in. x 14 in. Table, Chip Auger, Coolant (Asset #: M21) (Rotary 4th Axis Sold Separately, Lot #: 15B)
1	Haas Model HRT 210 Rotary 4th Axis; (Currently Located on Table of Machine M21, Lot #: 85)
1	Yamaguchi YMV-60MW CNC Vertical Machining Center, S/N: 6174; with Fanuc Series 6M CNC Controls; Coolant System; Lubrication System; 20-Position Automatic Tool Changer; 35 in. x 18 in Table, Travels: 610-mm X-Axis, 460-mm Y-Axis, 510-mm Z-Axis, 60-6,000 RPM (Asset #: M10)
1	Kitamura MyCenter-3X CNC Vertical Machining Center, S/N: 11775; with Kitamura CNC Controls, 20-Position Automatic Tool Changer, 36 in. x 16 in. Table, 10,000 RPM, Coolant System, Lubrication System (Asset #: M24)
1	Kitamura MyCenter-2X CNC Vertical Machining Center, S/N: 07119; with Yasnac i80 CNC Controls, 10,000 RPM, 20-Position Automatic Tool Changer, 30-1/2 in. x 14 in. Table, 15-HP (11-kW) Spindle Motor, Coolant System, Lubrication System (No Fixture) (Asset #: M7)
1	Lot - (56) approx. CNC Milling and Boring Tool Holders; Consisting of: Lyndex BT 40's, WEI/2-67; Universal ENG's, Sandvik 40 MM-VF 4-C8's, Etc. (Cart, Not Included)
1	Lot - (42) CNC Milling and Boring Tools Holders; Consisting of: Lyndex BT-40's, WEI/2-67; Universal ENG's, Etc. (Cart Not Included)
1	Lot - (48) CNC Milling and Boring Tools Holders; Consisting of: D'Andrea and Others BT-40's, Lyndex BT-100 (Cart Not Included)
1	Clausing Arboga 15 in. Model 1761 Floor-Type Drill Press, S/N: 121045; with 18 in. x 12 in. Table, 5 in. Quill Adjustment, 3/4 HP Motor
1	Jet 18 in. Type JET-420F3 Floor-Type Drill Press, S/N: 38303; with 10 in. x 10 in. Table, Spindle RPM's from 355 to 2,400, Adjustable Table, 1-HP Motor
1	Clausing Arboga 15 in. Model 1760 Floor-Type Drill Press, S/N: 124893; with 14 in. x 10 in. Table, 5 in. Quill Adjustment, 3/4 HP Motor
1	Solid 18 in. Model TB 16 S Single Spindle Vertical Boring Machine, S/N: 532137; with 10 in. x 13 in. Table, 100-mm Quill Adjustment, Adjustable Head Height
	1 1 1 1 1 1 1 1 1 1 1 1 1



25	1	Denison HydrOILics Model A 1-Ton Multipress Bench-Type C-Frame Hydraulic Press, S/N: 214; Series 25-3459-W, with 10 in. Throat, Stand
26	1	Lot - (56) approx. CNC Milling and Boring Tool Holders; Consisting of: Lyndex BT-40's, Universal ENG's, Nikken BT 40's, Etc. (Cart, Not Included)
27	1	Lot - (48) approx. CNC Milling and Boring Tool Holders; Consisting of: SPI's HPI BT-40's and Lyndex Tapper, Etc., with Portable Tool Cart
28	1	Lot - (3) CAT-40 Right Angle Tool Heads; BIG, Daishowa and Lyndex
29	1	Haas VF-2SS CNC Vertical Machining Center, S/N: 1052989 (2006); with Haas CNC Controls, Haas VOP-B, 24-Position Automatic Tool Changer, 12,000 RPM Spindle Speed, Direct Drive Spindle, High Speed Tool Changer, 1,400 IPM Rapid Reverse Traverse, 36 in. x 14 in. Table, Chip Auger, Coolant System, Lubrication System (Asset #: M23) (Rotary 4th Axis Sold Separately, Lot #: 30)
30	1	Haas Model SHRT210H Rotary 4th Axis, S/N: 227252; 210-mm (8.3 in.) Diameter T-Slot Table, 210-mm (8.3 in.) Table Diameter, 50.8-mm (2.00 in.) Center Bore, 100°/sec Maximum Speed (Currently Located on Table of Machine M23, Lot #: 29)
30A	1	Haas VF-2SS CNC Vertical Machining Center, S/N: 1052998 (2006); with Haas CNC Controls, Haas VOP-C, 24-Position High Speed Automatic Tool Changer, Inline Direct Drive Spindle, 12,000 RPM, DSC Through-Spindle Coolant, Travels: 30 in. X-Axis, 16 in. Y-Axis, 20 in.Z-Axis, 36 in. x 14 in. Table, Chip Auger, Coolant System, Lubrication System, (Asset #: M22) (Mis-Tagged as Lot #: 30B) (Rotary 4th Axis Sold Separately, Lot #: 30B)
30B	1	Haas Model HRT 210 Rotary 4th Axis; (Mis-Tagged as Lot #: 30A) (Currently Located on Table of Machine M22, Lot #: 88)
31	1	Mori Seiki Model SL-OH CNC High Precision Lathe, S/N: 1168; with Fanuc Series 10TE CNC Controls, 8-Position Turret, Tool Holders, Coolant System, Lubrication System, Also Includes: Aux. Kitagawa 8 in. (approx.) Model HOH-06K 3-Jaw Chuck S/N: 78115, Related Fixtures, (Asset #: T7)
32	1	Haas VF-3B CNC Vertical Machining Center, S/N: 32580 (2003); with Haas CNC Controls, Haas VOP-D, 24-Position Automatic Tool Changer, 20-HP 2-Speed Gear Drive Motor, 1,000 IPM, 48 in. x 18 in. Table, Chip Auger. Coolant System, Lubrication System (Asset #: M18) (Rotary 4th Axis Sold Separately, Lot #: 33)
33	1	Haas Model HRT 210 Rotary 4th Axis, S/N: 218761; (Currently Located on Table of Machine M18, Lot #: 32)
34	1	Kitamura MyCenter-HX250 CNC Horizontal Machining Center, S/N: 81079 (2000); with Yasnac i80 CNC Controls, 24-Position Automatic Tool Holder, Dual 10 in. x 10 in. Pallets, 1° or Full 4th Axis Table Indexing, 8,000 RPM Spindle Speed, Coolant System, Lubrication System (Asset #: M17)
35	1	Baldor 3/4 HP (approx.) Heavy-Duty Double End Buffer Grinder; with Stand



36	1	Lot - (11) CAT-40 Toolholders; with Collets, Drills, and End Mills, with Precision Steel Rack
3 7	1	13 in. Throat 16-Speed Model ZJ4116 Bench-Top Drill Press; 16-mm Capacity, MT2a Spindle, 11 in. Dia. Table
38	1	Haas VF-3B CNC Vertical Machining Center, S/N: 44459 (2005); with Haas CNC Controls, Haas VOP-D, 24-Position Automatic Tool Changer, 20-HP 2-Speed Gear Drive Motor, 1,000 IPM, Rigid Tapping and High-Speed Machining Options, 4th-Axis Ready Interface, Programmable Coolant Nozzle and Air Blast, Full Enclosure with Dual Sliding Doors, 48 in. x 18 in. Table Size, Travels: (X/Y/Z): 40 in. X-Axis, x 20 in. Y-Axis, x 25 in. Z-Axis, Chip Auger, Coolant System, Lubrication System (Asset #: M19) (Trunnion Table with Related Haas Servo Control, Sold Separately, Lot #: 39)
39	1	Haas 26 in. Model HRT310 Trunnion Table, S/N: 313821; with Haas Servo Control (Currently Located on Table of Machine M19, Lot #: 38)
40	1	Baldor 3/4 HP Model 333B Heavy-Duty Double End Industrial Buffer Grinder, S/N: F50209197134; with Stand, 115/230-Volts, 1-Ph, 60-Hz, 4.8/2.4 Amps, 3,600 RPM
41	1	Baldor 3/4 HP Model 333B Heavy-Duty Double End Industrial Buffer Grinder, S/N: X1302227515; with Stand, 115/230-Volts, 1-Ph, 60-Hz, 4.8/2.4 Amps, 3,600 RPM
42	1	Baldor 3/4 HP Model 333B Heavy-Duty Double End Industrial Buffer Grinder, S/N: X0403027039; 115/230-Volts, 1-Ph, 60-Hz, 4.8/2.4 Amps, 3,600 RPM (No Stand)
43A	1	Maier EMCO-TURN 342 CNC Turning Center, S/N: R3R E3E4 0045; with GE Fanuc Series O-T CNC Controls, 8-Position Turret, Coolant System, Lubrication System (Asset #: T5)
44	1	Nakamura-Tome Precision Methods Slant 1 Type S-1H CNC Turning Center, S/N: C20706; with Fanuc Series 6T CNC Controls; 12-Position Turret, MMK 8-1/2 in. Model HA5-8-46 3-Jaw Chuck S/N: 4919, Tailstock, Coolant System (Asset #: T2)
45	1	Sanford 6 in. x 12 in. Surface Grinder, S/N: 167 2568; with Hanchett Magna-Lock Model HR-612C Magnetic Chuck S/N: 27135-1,
46	1	Safety-Kleen Model SK34.1.R Solvent Parts Washer, S/N: 34101966; 120-Volt, 60-Hz, 1.4 Amp
47	1	Rockwell Delta 12 in. Disc / 6 in. Model 31-710 Belt Sander, S/N: KY6313;
48	1	Lot - Assorted CNC Fixtures, Consisting of: Manual Lether Stamping Machine, Steel Plate Size 1 ft. x 2 ft., Aluminum Fixture Plate, De Staco Clamps, Hydraulic Cylinders, Etc., on (6) Pallets (Located at Warehouse Next Door)



49	1	Lot - Assorted CNC Fixtures, Consisting of: Hydraulics Fixtures, Steel Plate Fixtures, Hydraulic Fixtures with Hydraulics Cylinders, Etc., on (2) Pallets (Located at Warehouse Next Door)
50	1	Lot - Assorted CNC Fixtures, Consisting of: 6 in. Pneumatic Indexer, Angle Plates, Etc., on (2) Pallets (Located at Warehouse Next Door)
51	1	Lot - Assorted CNC Fixtures, Consisting of: Air Fixtures, Angle Plates, Steel Plate, De Staco Clamps, Etc., on (2) Pallets (Located at Warehouse Next Door)
52	1	Lot - Assorted CNC Fixtures, Consisting of: Steel Plate, 4 ea. Boxes of 5/16 -18 in. x 1 3/4 in. Treaded Rod Steel 4.000 Count Totals, Fixtures, De Staco Clamps, Etc., on (3) Pallets (Located at Warehouse Next Door)
53	1	Lot - Assorted CNC Fixtures, Consisting of: Dayton 3-Phase AC Motor Electric 3/4 HP, Frame 1860; Steel Plates, De Staco Clamps, Etc., on (3) Pallets (Located at Warehouse Next Door)
54	1	Lot - Assorted CNC Fixtures, Consisting of: Precision Gage, Steel Plate, Fixtures, Etc., on (3) Pallets (Located at Warehouse Next Door)
55	1	Lot - Assorted CNC Fixtures, Consisting of: Index Fixtures, Angle plates, Steel Plates, Aluminum Plates, De Staco Clamps, Vise Jaws, Etc., on (4) Pallets (Located at Warehouse Next Door)
56	1	Lot - AirTronics Model 18110 Surface Tester, S/N: 294; also Includes: Cold Rod Steel Plate, Vise Jaws (Located at Warehouse Next Door)
5 7	1	Lot - Burgmaster 6-Spindle Bench-Top Turret Drill Press, Geo. Schmidt Bench-Top Marker, Hi Duty Metal Plate Stamper & Engraver Model: T.R.I, Serial #4149 (Located at Warehouse Next Door)
58	1	Lot - Aluminum CNC Tombstone Fixtures, Angle Plates, Hydraulic Fixtures, on (2) Pallets (Located at Warehouse Next Door)
59	1	Lot - Assorted CNC Fixtures, Consisting of: Steel Fixture Plates, De Staco Clamps, Hydraulic Fixtures, Vises, Etc., on (2) Pallets (Located at Warehouse Next Door)
60	1	Lot - Assorted Angle Plates, Steel Plate, on (2) Pallets (Located at Warehouse Next Door)
61	1	Denison 8-Ton Capacity HydrOILics Model FG8C01A68C21S05 Multipress Hydraulic Press, S/N: 6680; with Stand (Held in Reserve) (Located at Warehouse Next Door)
62	1	Clausing Model 1633 Single Spindle Production Drill, S/N: 126723; with (3) Rockwell Multi-Drill Commander Drill Heads, Schrader Bellows Power Feed, Mounted on Production Base (Held in Reserve) (Located at Warehouse Next Door)
63	1	Hüller Dual-Head Drilling and Tapping Center, S/N: UG20-627.0483; Mounted on Common Base, Related Controls (Held in Reserve) (Located at Warehouse Next Door)
64	1	Reynolds Single Spindle Vertical Boring Machine, S/N: 3668664; with Commander Model 400 Drill Head, Mounted on Commander Base (Held in Reserve) (Located at Warehouse Next Door)



65	1	Meba Type 320 Horizontal Metal Cutting Band Saw, S/N: 6242; with Clamp (Held in Reserve) (Located at Warehouse Next Door)
66	1	Solid Model B25VS Single Spindle Vertical Boring Machine, S/N: 532143; with Drill Speeds from 180 to 2,680 O/min, 160-mm Quill Adjustment, Adjustable Head Height (Held in Reserve) (Located at Warehouse Next Door)
67	1	Concepts and Controls Inc. 3-Head, Opposed Head Precision Drilling Machine, S/N: 84013; (Held in Reserve) (Located at Warehouse Next Door)
68	1	Graysmills Model TH2420SLP-B Industrial-Grade Automatic Parts Washer, S/N: 105316; (Held in Reserve) (Located at Warehouse Next Door)
69	1	Carolina Tool & Equipment Model HD10 Horizontal Metal Cutting Band Saw, S/N: HD10-33224; (Held in Reserve) (Located at Warehouse Next Door)
70	1	Lassy Model 12-F Bench-Top Manual Tapper; with stand (Held in Reserve) (Located at Warehouse Next Door)
71	1	Denison Bench-Top Hydraulic Press; with Stand (Held in Reserve) (Located at Warehouse Next Door)
72	1	Ridgid Model 535 Portable Pipe Threader, S/N: 390024; (Held in Reserve) (Located at Warehouse Next Door)
73	1	Brother Industries Model H2-03 Custom-Built Automatic Drilling Machine; with Brother High-Tap Drill Head, FCA Model SF-30 Vibratory Parts Feeder (Held in Reserve) (Located at Warehouse Next Door)
74	1	Clausing Model 2230X Single Spindle Production Drill, S/N: 109253; with (1) Commander Model 812 Multi-Drill Head, Schrader Bellows Power Feed, Mounted on Reynolds Production Base (Held in Reserve) (Located at Warehouse Next Door)
75	1	Canon Model NP6521 BizHub, S/N: VMI15920; (Held in Reserve) (Located at Warehouse Next Door)



76	1	Lot - Assorted Tooling Fixtures and Pneumatic Components, Consisting of: Machined Steel Fixture Plates with Toggle Clamps, Bushings and Guide Pins, Assorted Custom Jigs and Brackets, (1) Pneumatic Power Unit Assembly, Mechanical Assemblies and Work Holding Devices (Held in Reserve) (Located at Warehouse Next Door)
77	1	Haas HRT Series Rotary Table with Servo Control; (Held in Reserve) (Located at Warehouse Next Door)
78	1	Lot - Custom Precision Tooling, Fixtures, and Dies, Consisting of: Steel and Cast- Iron Bases, Various Toggle Clamps, Spring-Loaded Assemblies, Bushings, (8–10) approx. Fixture Bases and Assorted Loose Components (Held in Reserve) (Located at Warehouse Next Door)
79	1	Jet Model JDP-415 Bench-Top High-Speed Precision Drill Press, S/N: 354007; with Fixture (Held in Reserve) (Located at Warehouse Next Door)
80	1	Enco Model 125-1086 Bench-Top Drill Press; 3-Speed: 620-1300-3100 r/min, 1/4 HP (Held in Reserve) (Located at Warehouse Next Door)
81	1	Kalamazoo 2 in. (approx.) Bench-Top Ribbon Sander; with Baldor 1/2 HP Motor, on Stand (Held in Reserve) (Located at Warehouse Next Door)
82	1	Turbo Systems, Inc. Model G175-8C99 Portable Inclined Parts Conveyor, S/N: 347504; (Held in Reserve) (Located at Warehouse Next Door)
83	1	60 in. x 30 in. (approx.) Custom-Built Workstation; (Held in Reserve) (Located at Warehouse Next Door)